

November 23, 2015 ASX Release

Kidman Resources Limited

ABN 88 143 526 096

Corporate Details:
ASX Code: KDR

Issued capital: 132.3M ordinary shares

Substantial Shareholders: Capri 13.2m (9.98%) Holdex Nominees 11.3m (8.5%)

Directors:

Non-Executive Chairman:

Peter Lester

Managing Director:

Martin Donohue

Non-Executive Director:

Brad Evans

Chief Operating Officer (COO):
Tony Davis

Chief Financial Officer (CFO):
Melanie Leydin

Company Secretary:
Justin Mouchacca

Contact Details:

Kidman Resources Limited Suite 3, Level 4 12 - 20 Flinders Lane Melbourne Victoria 3000 Australia

Tel: +61 (0)3 9671 3801 Fax: +61 (0)3 9671 3523

Email:

info@kidmanresources.com.au

Website:

www.kidmanresources.com.au

Operations Update

Burbanks production proceeding well as highgrade results point to Resource upgrade

Kidman Resources (ASX: KDR) is pleased to advise that production at its Burbanks gold project in WA is proceeding well, with 1746oz poured from mining activities for the month of October.

As a result, Kidman generated sales revenue of \$2.67 million, reflecting an average price of A\$1523/oz.

Kidman has now produced a total of 3086oz at Burbanks since starting operations there in mid-September, generating total revenue of A\$4.8 million.

The gold produced in October came from both the open pit and underground mine at Burbanks, with the higher-grade area of the open pit still to be mined over the rest of this quarter. Underground the focus has been on extending the decline, establishing diamond drill platforms and remnant mining areas. Approximately 500m of development has now been completed since acquiring the project. Significantly, the historic 4 level shaft and workings have now been reached providing access to multiple remnant mining areas.

Kidman will provide further details of its production performance, including mill throughput, grades, recoveries and costs, in its December quarterly report.

Kidman is also pleased to advise that underground drilling is continuing to extend the known mineralisation with another host of high-grade results. These results are expected to form part of a resource upgrade and will also assisting in the development of a more detailed mine plan.

The latest results include 1.2m at 11.2gpt, 1.2m at 4.32gpt and 1.2m at 3.55gpt. In addition, face sampling assays along the Dahmu lode on the 1260 level include 2.5m at 12.55gpt, 2.8m at 10.43gpt, 2m at 9.88gpt and 2m at 9.42gpt.

The drilling is aimed at growing the existing 99,000oz combined Indicated and Inferred Resource at Burbanks (see ASX release dated August 25, 2015) in addition the newly released 73,000oz Resource at Gunga West (see ASX release dated November 10th, 2015).

Kidman has now completed more than 2500m of the planned 7500m underground diamond drilling near to the existing development and mining on multiple lodes including Dahmu, Jesson and Tailor is well advanced. This ore will provide mill feed in conjunction with open pit ore.




Image 1.0 Underground 1260 Level Dahmu face BBF1134




Image 2.0 Underground 1260L ore acces drive on the Dahmu lode




Image 3.0 Underground Diamond drilling results in the Tailor lode




Image 4.0 Underground Diamond drilling results in the Jesson lode




Image 5.0 Oblique view of Diamond Drilling locations from the 1295L

Kidman Background

Kidman is a diversified resource company currently in production at the Burbanks Gold Mine near Coolgardie in WA production commenced in the September quarter of 2015.

Kidman also owns advanced exploration projects in the Northern Territory (Home of Bullion – Cu, Au, Pb, Zn, Ag/ Prospect D - Ni, Cu) and New South Wales.

In New South Wales the company has the Crowl Creek Project which is host to numerous projects such as Murrays (Au) Blind Calf (Cu, Au) and Three Peaks (Cu, Pb, Ag).

The company also owns the Brown's Reef project in the southern part of the Cobar Basin (Zn, Pb, Ag, and Cu)

For further information on the Company's portfolio of projects please refer to the website at: www.kidmanresources.com.au

Martin Donohue Managing Director

Media: Read Corporate Paul Armstrong / Nicholas Read +61 8 9388 1474

Competent Persons Statement

Exploration:

MIUO BEN IBUOSIBÓ 10=

The information in this release that relates to sampling techniques and data, exploration results, geological interpretation and Exploration Targets has been compiled by Mr. Michael Green BSc (Hons), MAusIMM, an employee of the Company. Mr. Green is a Member of the Australian Institute of Mining and Metallurgy and he has sufficient experience with the style of mineralisation and types of deposits under consideration, and to the activities undertaken, to qualify as a competent person as defined in the 2012 Edition of the "Australian Code for the Reporting of Exploration Results, Mineral Resources and Ore Reserves (The JORC Code) for reporting the exploration results. Mr. Green consents to the inclusion in this report of the contained technical information in the form and context in which it appears.

Cautionary Statement

Readers should use caution when reviewing the exploration and historical production results presented and ensure that the Modifying Factors described in the 2012 edition of the JORC Code are considered before making an investment decision.

Face ID	Location	Direction (North/ South)	Drive Width	Drive Height	Best sample width	Best sample grade	sample type
BBF1122	1260D	N	3	4.7	1.6	9.7	Rock chip
BBF1123	1260D	N	4	4.2	2.9	7.28	Rock chip
BBF1124	1260D	N	3.6	4.1	3.1	2.45	Rock chip
BBF1125	1260D	N	3.4	4.3	2.8	10.43	Rock chip
BBF1126	1260D	N	3.5	4.1	2	9.88	Rock chip
BBF1127	1260D	N	3.5	4	2.88	5.07	Rock chip
BBF1128	1260D	N	3.3	4	1.8	3.3	Rock chip
BBF1129	1260D	N	3	4	2.7	6.39	Rock chip
BBF1130	1260D	N	3.2	4.3	2.3	2.52	Rock chip
BBF1131	1260D	N	3.2	4.3	2.4	2.45	Rock chip
BBF1132	1260D	N	3.8	4.4	3	7.88	Rock chip
BBF1133	1260D	N	4	4.5	2.3	7.26	Rock chip
BBF1134	1260D	N	4.1	4.7	2.5	12.22	Rock chip
BBF1135	1260D	N	3.6	4.8	2	9.42	Rock chip
BBF1136	1260D	N	3.3	4.9	2.2	5.52	Rock chip
BBF1137	1260D	N	3.1	4.3	1.4	8.38	Rock chip

Table 1: Face sample results from Dahmu 1260 development drive

Notes:

- 1) All samples are located at the northern end of the 1260L Dahmu Access shown in Figure 2
- 2) The sample is collected using a rock hammer and collection cone and is sampled according to lithological/structural boundaries.
- 3) Further information on the collection process can be found in Table 1.

4
$\overline{}$
of
<u></u>
ge
Ö

	Downhole Au (g/t) Prospect Site Type (m)	Dhamu Lode Diamond Core	Dhamu Lode Diamond Core	1.3 1.82 Dhamu Lode Diamond Core	0.9 2.62 Dhamu Lode Diamond Core	4 2.95 Dhamu Lode Diamond Core	2.5 3.07 Dhamu Lode Diamond Core		Dhamu Lode Diamond Core	0.8 1.71 Dhamu Lode Diamond Core	Dhamu Lode Diamond Core	: Jesson Diamond Core	Jesson Diamond Core	2 1.28 Jesson Diamond Core	2.5 4.52 Jesson Diamond Core	2 2.91 Jesson Diamond Core	orkings Jesson Diamond Core	orkings Tailor/Jesson/Hadfield Diamond Core	1.2 3.55 Tailor/Jesson/Hadfield Diamond Core	0.8 Tailor/Jesson/Hadfield Diamond Core	orkings Tailor/Jesson/Hadfield Diamond Core	Tailor/Jesson/Hadfield Diamond Core	1.2 4.32 Tailor/Jesson/Hadfield Diamond Core	0.4 Tailor/Jesson/Hadfield Diamond Core	Tailor/Jesson/Hadfield Diamond Core	1 1.92 Tailor/Jesson/Hadfield Diamond Core	2 Tailor/Jesson/Hadfield Diamond Core	1 17.3 Tailor/Jesson/Hadfield Diamond Core	0.5 6.44 Tailor/Jesson/Hadfield Diamond Core	1.2 Tailor/Jesson/Hadfield Diamond Core	orkings Tailor/Jesson/Hadfield Diamond Core	0.7 Tailor/Jesson/Hadfield Diamond Core	
nole Intercepts	Downhole To (m) Inters (No significant intercept	No significant intercept	16	17	29	34.5	No significant intercept	No significant intercept	14	No significant intercept	No significant intercept	No significant intercept	99	108.9	126	Hole ended:Intersected old workings	Hole ended:Intersected old workings	22.2	33 (Hole ended:Intersected old workings	No significant intercept	43.3	51.6	No significant intercept	18	72	84	14.9	32.5	Hole ended:Intersected old workings	23.8	
Burbanks 2015 Diamond Drillhole Intercepts	Downhole From (m)			14.7	16.1	25	32			13.2				64	106.4	124		ЭН	21	32.2	¥ 		42.1	51.2		17	20	83	14.4	31.3	H	23.1	
Burbanks 20	EOH depth (m)	47.70	56.60	82	41.90			45.00	51.7	62.2	71.3	82.1	92.6	85.3	145.2		145.4	23	33.4			68.4	50.1	64	86.7	91.1			34.8			65.5	
	Azimuth (Mine Grid)	90.14	90.34	88.84	91.14			89.84	89.74	88.54	89.04	92.34	92.44	86.14	88.54		26.63	250.54	249.64			250.64	251.14	276.34	237.14	220.14			569			268.44	
	Dip	-39.00	-48.90	-55.60	-3.00			-27.00	-47.10	-39.50	-49.00	-24.10	-48.80	-20.00	-55.00		-47.70	-10.70	-24.00			-37.20	-28.80	-41.40	-33	-14			-45			-58	
	RL (BBMG)	1280.100	1280,000	1270.129	1279.19			1278.588	1278.132	1277.523	1277.326	1267.3	1266.882	1268.044	1267.204		1267.207	1293.55	1292.985			1292.656	1293.175	1292.756	1292.66	1293.14			1293.634			1292.994	
	Northing (BBMG)	5300,000	5300,000	5299.896	5279.376			5279.375	5279.378	5258.761	5258.777	5239.465	5240.049	5253.231	5253.126		5254.81	5134.07	5134.045			5134.02	5134.047	5135.04	5133.383	5132.262			5180.282			5180.296	
	Easting (BBMG)	2050,800	2055,600	2054.383	2057.338			2057.315	2057.209	2058.712	2058.657	1997.699	1997.472	1989.617	1989.38		1988.594	2056.576	2056.433			2056.389	2056.535	2056.551	2056,445	2056.532			2060.11			2060.123	
	Drillhole	D5300_0028	D5300_0029	D5300_0030	D5280_0042			D5280_0043	D5280_0044	D5260_0057	D5260_0058	J5240 <u>0062</u>	J5240 <u>0</u> 063	15260_0060	15260_0077		J5340 <u>0059</u>	J5120_0070	J5120_0071			J5120_0072	J5120_0078	J5140_0069	J5100_0074	J5080 <u>0076</u>			J5180_0067			J5180_0068	

For personal use only

_				Burbanks His	storic Diamond D	Burbanks Historic Diamond Drillhole Intercepts					
Drillhole Easting (BBMG) Northing (BBMG) RL (BBMG) Dip Azimu	Dip		Azimu	Azimuth (Mine Grid)	EOH depth (m)	Grid) EOH depth (m) Downhole From (m) Downhole To (m) Intersection (m)	Downhole To (m)	Downhole Intersection (m)	Au (g/t)	Au (g/t) Prospect	Site Type
2100.040 5040.380 1339.610 -35		-35		316	124.3	98'95	99.21	0.3	2.74	Tailor	Diamond Core
2077.430 5175.880 1284.400 -38.8		-38.8		228.9	80.52	56.1	22	6'0	1.58	Tailor	Diamond Core
2077.210 5175.540 1285.090 -34.6		-34.6		267.3	71.9	23	54	1	1.99	Tailor	Diamond Core
2076.970 5176.450 1284.770 -35.1		-35.1		288.8	74.8	52.2	53	8'0	2,44	Tailor	Diamond Core
2100.000 5180.000 1398.880 -60		09-		265	195	141,65	143	1,35	3.07	Tailor	Diamond Core
2077.640 5180.880 1284.800 -20		-20		279.6	74.5	77	49.5	5'5	3.09	Tailor	Diamond Core
2050,000 5200,000 1397,530 -80		-80		270	160	126	133	2	3,94	Tailor	Diamond Core
2077,380 5181,880 1284,670 -18,6		-18,6		298.5	84	51	53	7	2,21	Tailor	Diamond Core
2077,480 5181,350 1284,710 -19.9		-19.9		292.2	78	23.5	22	1.5	1,21	Tailor	Diamond Core
2077.690 5182.610 1284.810 -13.9		-13.9		314.8	86.94	65	62	3	3.61	Tailor	Diamond Core
2078.100 5173.670 1285.790 -8.9		-8.9		206.8	164.92	122	123	1	3.47	Jesson	Diamond Core
2078.060 5173.940 1285.730 -11.4		-11.4		216.7	143.97	117.25	121	3,75	5.19	Jesson	Diamond Core
5050,450 1338,860 -35		-35		272	103,6	93	93.8	0.8	1,11	Jesson	Diamond Core
2102.070 5161.310 1325.370 -18.1		-18.1		229.7	140.65	126	127	1	1.01	Jesson	Diamond Core
2096.950 5052.020 1339.280 -60		09-		270	137	108	109	1	3,65	Jesson	Diamond Core
2096.390 5051.490 1338.560 -52.32		-52.32		264.1	138.3	26	8,66	2.8	1.15	Jesson	Diamond Core
2077.750 5174.370 1285.540 -16.9		-16.9		231.5	108	82,45	84,4	1,95	1,44	Jesson	Diamond Core
2077,570 5174,610 1285,520 -17.5		-17.5		240.1	85	99	66,75	9.75	3,24	Jesson	Diamond Core
2076.750 5175.950 1285.590 -6		9-		240.3	90.1	7.5	73	1	1.56	Jesson	Diamond Core
2101.930 5163.210 1325.330 -26.3		-26.3		280.5	132.9	06	91	1	2.66	Jesson	Diamond Core
2101.930 5162.270 1325.220 -28		-28		280	117.02	90'32	91.1	0.75	11.22	Jesson	Diamond Core
2076,680 5176,700 1285,600 -7		-7		257.3	59.5	54	55,45	1,45	3.03	Jesson	Diamond Core

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down-hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information 	This Table relates to the recent UG Diamond drilling programme and face sampling undertaken by KDR at the Burbanks Project. The Burbanks Project has been sampled using Underground diamond drilling (DD). All DD sampled sections reported are LTK60. Core sample intervals are defined by the geologist to honour geological boundaries ranging from 0.3 to 1.8m in length. A total of 40 UG Diamond drill holes for 2774.9 m have been drilled by KDR to date. Holes were angled to optimally intersect the mineralised zones in consideration of site accessibility. To date analysis of 2414 samples have been received from the 2252 samples collected and submitted for analysis. Core is aligned and measured by tape, comparing to down-hole core blocks consistent with industry practice. Any discrepancies are immediately highlighted and addressed by the driller and their run sheet. Diamond drilling has been completed to industry standard using varying sample lengths (0.3 to 1.5m) based on geological intervals, which are then crushed and pulverised to produce a ~200g pulp sub-sample to use in the assay process. Diamond core samples are fire assayed (30g charge or 50g charge). Visible gold is occasionally encountered in core. Face chip samples were collected from an in-situ, underground rock face by hand using a sample cone and rock hammer. 16 faces are reported with 81 samples collected across the faces. Typical sample weights range from 1 to 3 kg. The face chip samples have 3D coordinates that are surveyed by a license surveyor using a series of accurately located laser reference sites. Given the coarse gold component the samples are inherently variable and may not represent the average grade of the surrounding rock. The face samples are inherently variable and may not represent the average grade of the surrounding rock. The face samples are inherently variable and may not represent the average grade of the surrounding rock. The face samples were assayed using a 30q fire assay Digest technique with an
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).	AAS finish Previous operators carried out surface and underground diamond drilling by using HQ2, HQ3 and PQ2 (triple tube) LTK60 and NQ2 (standard tube) techniques. All core is routinely orientated using the ORI-shot devic or similar (Ezy-Ori, Ezy-Mark). Hole depths range from 14.90m to 145.4 and averaged 69.37m KDR has undertaken UG Diamond LTK60 diameter holes were drilled by DDH1.
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	RC recoveries are logged and recorded in the database. Overall recoveries are >95% for Burbanks Project. Depths were checked against rod counts which were routinely carried out by the drilling contractor. Recoveries are recorded as a percentage calculated fror measured core verses drilled intervals. DD drilling results in high core recovery due to the competent nature of the ground. Core samples were routinely visually checked for recovery, moisture and contamination. There is no known relationship between sample recovery and grade
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged. 	All information captured by previous explorers is imported into the Kidman database and verified before reporting. Kidman Resources undertakes industry best practice for any exploration programmes it undertakes. Steps taken are detailed below: Information on structure type, dip, dip direction, alpha angle, beta angle, texture, shape, roughness and fill material is stored in the structure table of the database Photography of core has not been regularly completed by previous companies, this is standard practice by Kidman Resources. Diamond core is logged over varying intervals,
		dependent on observed changes for the variable under investigation (e.g. lithology, alteration etc.). The geological logs are carefully compiled with appropriate attention to detail. Kidman Resources utilises Field Marshall as its logging interface, with data recorded on multiple table files, these include geology, alteration, mineralisation,

		structure, orientation, fracture frequency, veining and recovery. Data is validated on entry using a library of standardised codes.
		All faces have been logged to include lithology, veining and structure. For pre- Kidman Resources (KDR) activities, best practice is assumed.
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	Core is half cut with a diamond core saw. Sample intervals were defined by a qualified geologist to honour geological boundaries. All mineralised zones are sampled plus associated barren material in contact with MZs. A total of 2252 samples were collected using Diamond Drilling - Half core sample sampling methods. Kidman Resources employees the services of ALS Kalgoorlie for all assaying required in exploration programmes. A total of 2331 samples were sent to ALS Kalgoorlie for sample preparation. The procedure utilised include the following: • Sort all samples and note any discrepancies to the client submitted paperwork. Record a received weight (WEI-21) for each sample. Separate out any samples for SG analysis onto a separate trolley to ensure they are not crushed. • Dry samples at 95 degrees until dry. • Perform non wax dipped SG analysis (OA-GRA08) on requested samples and return these to the drying oven once completed. • Crush samples to 6mm nominal (CRU-21) split any samples >3.2Kg using riffle splitter (SPL- 21). • Generate duplicates for nominated samples, assigning D suffix to the sample. • Pulverise samples in LM5 pulveriser until grind size passes 90% passing 75um (PUL-23). Check grind size on 1:20 using wet screen method (PUL-QC). • Take ~400g working master pulp for 50g fire assay, AAS finish (Au-AA26) • Samples are assayed for gold to 0.01ppm. Detection limits are in ppm unless otherwise noted. For pre-Kidman Resources (KDR) samples, best practice is assumed. For all drill core samples being reported, gold
assay data and laboratory tests	the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	concentration is determined by fire assay using the lead collection technique with a 50 gram sample charge weight. An AAS finish is used and considered as total gold digestion. No geophysical results reported The QAQC protocols used include the following for all drill samples: • The field QAQC protocols used include the following for all drill samples: - Commercially prepared certified reference materials (CRM) are inserted at an incidence of 1 in 20 samples. The CRM used cannot be identified by the laboratory, - QAQC data is assessed when received from the lab and following import by an external database administrator. • The laboratory QAQC protocols used include the following for all drill samples: - Repeat analysis of pulp samples occurs at an incidence of 1 in 20 samples, - The laboratory reports its own QAQC data on with each batch returned • Failed standards are generally followed up by re-assaying a second 50g pulp sample of all samples in the fire above 0.1ppm by the same method at the primary laboratory. Both the accuracy component (CRM's checks) and the precision component (duplicates and repeats) of the QAQC protocols are thought to demonstrate acceptable levels of accuracy and precision
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data.	To date KDR has not twinned any drill holes. Primary data was collected using a set of standard logging templates on laptop computers using lookup codes. Once data collection is complete the information was sent to Geobase Australia for additional validation and compilation prior to loading into the company's into an Azeva Database Management System. KDR undertakes continual data integrity checks and validation. No adjustments or calibrations were made to any assay data. Holes drilled to date by KDR have been located with a Total Station and are assumed to be accurate to ± 0.1 m. This is considered appropriate for

Location of	Accuracy and quality of surveys used to	the current drill hole spacing. Single Shot Downhole surveys were completed as deemed appropriate. All horizontal coordinates are based on the Burbank
data points	Incate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control.	Mine Grid and converted to GDA94_51S grid system. Drillhole collar locations have been surveyed using Total Station method/s by Minecomp personnel. These accuracy of the surveying ranges between 0.2 and 0.5 m All maps and plans are presented in in MGA 94 Zone 51 or in Burbanks Mine Local Grid which is oriented 43 degrees magnetic-sub parallel to the strike of the major lithological units and structural features of the Burbanks area The location of the face chip samples was measured off several known laser reference points within the mine, these are regularly picked up by licensed surveyors and are checked regularly as mine development progresses
Data spacing and distribution	Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied.	The mineralised domains have demonstrated sufficient continuity in both geological and grade continuity to support the classifications applied under the 2012 JORC Code Underground exploration and definition drilling has been drilled on a range of spacing, from 10m to 50m The mineralisation at Burbank's has demonstrated sufficient continuity in geological observations, but due to the high nugget effect of the ore body sludge drilling is often used to further delineate ore zones. Sludge holes are not reported as they do not meet adequate QAQC standards; they are however used as an operational control. Diamond and RC samples are measured as 1 metre intervals or cut to match geological boundaries. Given the high grade variability and coarse gold nature of the Burbanks Mine, the face chip samples are sufficient for the reporting of exploration results only and for on-site grade control. Results are then composited to form an interval width across the face. This composite has not had a top cut applied.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	M15/161 lies axially along the Burbanks shear over a distance of ~6km. The shear trends northeast and dips steeply northwest. It is 60-100m wide within a package of basalts with intercalated gabbro/dolerite and sediments. The mineralised lodes form sub-parallel to the Burbanks Shear. The face chip samples are taken across the mineralised lode. The face chips are not biased towards one particular rock type, a sample is entirely across the demarcated interval to ensure a representative sample is collected.
Sample security	The measures taken to ensure sample security.	Sample chain of custody is managed by Kidman. Samples for the Project are stored on site and delivered to the laboratory in Kalgoorlie by Kidman Resources personnel. Whilst in storage the samples are kept in a locked yard that is monitored by CCTV. Tracking sheets tracks the progress of batches of samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data	A further internal review of the sampling techniques and data is being conducted by Kidman Resources as part of due diligence and continual review of protocols, this occurs as a matter of course for all exploration activities undertaken by Kidman Resources. Pre-KDR data audits were found to be minimal in regards to QAQC, though in line with industry standards of the time.

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	The drilling and face sampling was undertaken on tenement ML15/161 and forms part of the company's Coolgardie project located in Western Australia. All tenements are in good standing. There are no heritage issues within the current exploration package. All leases and licences to operate are granted and in the order of 2 to 15 years. M15/0161 Barra Resources Caveat \$25/OZ M15/0026 SV 132.80H Royalty 2%, M15/0518 M15/0637, M15/1272 SV9.3H Philip Scott Milling Caveat, M15/1361, P15/4848, P15/4849, P15/4851, P15/4852, P15/5234, P15/5235 The Burbanks and Gunga projects consist of 1184Ha.

Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Previous Explorers in the tenement and Project area include Unknown, WMC, Jarrafire, Pettingill, Barra, Callion, Normandy, AMALG, Barra Resources, Perseverance, Jones Mining, Blue Tiger. In total including KDR exploration there has been o 1812 Drillholes holes for 118,481.19 m o 389 Grade Control Drilling and Face Samples taken for 4907.90 m 1885-1914 The Birthday Gift mine was established following the discovery of Gold at Burbanks in 1885, the greatest period of production occurred from 1897-1903. Work then ceased at the project with the commencement of the First World War. 1946-1951 New Coolgardie Mines acquired and consolidated the operations at Burbanks. Management of the project was then assumed by Western Mining from 1948-1951. From the early 1950s to 1978 the old mine workings at Burbanks were covered by some 20GMLs. In 1978 Jones Mining NL acquired all 20 GMLs and pegged two prospecting licences to the north. In 1985 these tenements were amalgamated into a single mining lease M15/161. 1985-1991, in 1986 Jones Mining reached a joint agreement with Callion Mining Pty Ltd, a partnership with Metallgesellschaft of Australia Pty Ltd and Lubbock Nominees, whom conducted several phases of shallow RAB exploration. 1991-1999 Amalg Resources purchased the Burbanks mining lease from Metallgesellschaft in 1991, Amalg then proceeded to establish the Christmas Open pit. Amalg Resources then sold ML15/161 to Barra Resources whom commenced a drill programme to target the 7 level mineralisation mined by WMC and to extend the mineralised lodes within the Christmas and Lady Robinson Pits. The Burbanks Project then became fully acquired by Blue Tiger Mines (a private entity) in 2013. All previous work is accepted and assumed to be industry standard at that time
Geology	Deposit type, geological setting and style of mineralisation.	Industry standard at that time The Burbanks Project is located within the southern extents of the northeast – southwest trending, reverse - dextral Burbanks Shear Zone. The stratigraphy is characterised by a sequence of steeply west-dipping to sub-vertical, fine grained high MgO basalts (typically pillowed) grading to fine-medium grained and massive-ophitic dolerites. This sequence trends northeast – southwest, largely parallel with the Burbanks Shear Zone. Intruding this sequence are a series of fine to medium grained, garnetiferous diorite bodies. The dioritic intrusives are commonly sub-vertical, 2 – 50m thick, and sub-parallel to the surrounding mafic sequence, exhibiting strike lengths from 20-250+m. Mafic – diorite contacts are not always sharp, owing to the later reheating and partial assimilating with the mafic host sequence. Earlier structural observations (Knight et al, 1993) have identified that ore zones at Burbanks are characterised by NE striking, laminated and highly boudinaged, steeply dipping quartz - carbonate lodes. Recent mining activity from July 2006 to present confirms the nature of these mineralised systems while also emphasising the importance of both mafic and intermediate (diorite) rocks as hosts to mineralisation Mineralisation Three main styles of mineralisation have been observed at Burbanks, each related to a specific host rock sequence. The Jesson and Hadfield lodes provided the greatest contribution to historical tonnes and ounces at Burbanks. Both lodes lie on the western edge of the known mineralised system at Burbanks, hosted within a sequence of moderately foliated pillow basalt grading to fine grained dolerite. Mineralisation commonly occurs as thin, sub vertical to steeply east dipping highly boudinaged, attenuated and ptygmatic, anastomosing quartz – carbonate veins, surrounded by a moderate to strong biotite – amphibole – chlorite – carbonate alteration assemblage with lesser (1 – 5% pyrrhotite). The recently discovered Dahmu lode (located on the far eastern edge of

Drill hole Information	• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: o easting and northing of the drill hole collar o elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar o dip and azimuth of the hole o down hole length and interception depth o hole length. • If the exclusion of this information is justified on the basis that the information is	breccia textures noted. Both larger scale open folds and tighter, superimposed ptygmatic folds are also observed throughout. An alteration assemblage of biotite – silica – amphibole – chlorite – carbonate is commonly noted, with 5 – 15% pyrite and pyrrhotite present within highgrade zones. The Wahloo and Eastern lodes represent the third major ore style at Burbanks. These systems are hosted almost exclusively within fine to medium grained, garnetiferous diorite. Unlike the previous styles, veining within Wahloo and Eastern is represented by highly irregular, often chaotic quartz – carbonate stringers and as such, were poorly understood when mined historically. Alteration accompanying quartz veining is characterised by silica – sericite – carbonate, with 5 – 20% fine disseminated pyrite and pyrrhotite within high-grade intervals. Development and spatial setting of ore systems at Burbanks have been influenced by several factors; most notably stratigraphy and competency contrast. As highlighted in the previous section, Wahloo and Eastern ore zones are focused almost exclusively within diorite. Highest grading ore typically focuses along both the eastern and western diorite contacts. During deformation, diorite (owing to its high silica content) acts in a more brittle manner than the surrounding mafic sequence, allowing auriferous fluids to preferentially focus into these host units. Jesson and Tailor style mineralisation exhibit a more ductile texture due primarily to being hosted within mafic sequences. Orientation of these lodes are subsequently sub-parallel to the regional Burbanks Shear Zone and exhibit a boudinaged, poddy and discontinuous style in keeping with their more ductile setting. See previous announcements by KDR for a table of Significant historical intercepts.
	not Material and this exclusion does not	
	detract from the understanding of the report,	
	the Competent Person should clearly explain why this is the case.	
Data	• In reporting Exploration Results, weighting	High grade intervals internal to broader zones of
aggregation methods	averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.	mineralisation are reported as included or within intervals. Maximum internal dilution is 2m within a reported
	Where aggregate intercepts incorporate short lengths of high grade results and	interval.
	longer lengths of low grade results, the	No grade top cut off has been applied.
	procedure used for such aggregation should be stated and some typical examples of such	No metal equivalent is used or applied.
	aggregations should be shown in detail. • The assumptions used for any reporting of	A minimum cut-off grade 0f 0.1g/t Au is applied to the
	metal equivalent values should be clearly stated.	reported gold intervals
Relationship	• These relationships are particularly	M15/161 lies axially along the Burbanks shear over a
between	important in the reporting of Exploration	distance of ~6km. The shear trends northeast and dips
mineralisation widths and	Results. • If the geometry of the mineralisation with	steeply northwest. It is 60-100m wide within a package of basalts with intercalated gabbro/dolerite and
intercept	respect to the drill hole angle is known, its	sediments. The mineralised lodes form sub-parallel to
lengths	nature should be reported.	the Burbanks Shear. Underground drilling is
	If it is not known and only the down hole lengths are reported, there should be a clear	predominantly perpendicular to the lodes, as the thickness of most lodes has been established from face
	statement to this effect (e.g. 'down hole	and backs mapping underground true widths of drill
Diagrams	length, true width not known'). • Appropriate maps and sections (with	intercepts are easily calculated. Refer to Figures in body of text. Diagrams of each
piagranis	• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	section have not been provided as Logging and interpretation of data is still underway thus producing sections with unfinished interpretation would represent bias to the Orebody. These sections will be included as drilling continues in the Underground operation and
		interpretations qualified

Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Representative results have previously been reported in Announcements by KDR. All results to date are reported in the table provided from the UG Diamond drill programme.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	Multi element assaying has historically been conducted routinely on samples for a suite of potentially deleterious elements. Forthcoming work will include this type of analysis. The results shown are from historic work completed before the acquisition by Kidman Resources.
Further Work	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).	KDR is currently undertaking a UG Diamond Drilling programme to delineate future mining areas within the Birthday Gift Underground. Face sampling and back mapping is routinely undertaken during Underground production activities. A review of historic drill holes is underway with multiple holes to be sampled as areas of interest have not historically been assayed. These results will be used internally for Grade Control modelling. Mining activities will continue at the Burbanks mine with face chip sampling continuing as a matter of course.